



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT

#16

DRAWING  
LJR

9/10/03  
ASNESS

In the Matter of the Application of: M. Laub, et al.

For: COAXIAL CABLE DISPLACEMENT CONTACT

Serial No.: 10/004,979 Filed: December 5, 2001


Examiner: G. Paumen Group Art Unit: 2833

RECEIVED  
SEP - 3 2003  
TECHNOLOGY CENTER 2800

**PROPOSED CORRECTION TO DRAWINGS UNDER 37 C.F.R. 1.85**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on August 25, 2003.

  
Paula Capriglione

Sir:

*all OK JRP*  
Submitted herewith are proposed corrections to Figures 7 and 9 for approval by the Examiner. The figures, as originally submitted, are amended to illustrate corrections in red ink. These changes are in accordance with the Amendment filed with the Patent Office on August 25, 2003. Once the corrections are approved and the application allowed, new formal drawings will be submitted.

Charge any fee associated with this response and credit any overcharge to Deposit Account No. 23-1950.

If the examiner has any questions regarding the these changes which could be easily answered by a telephone conference, the examiner is


respectfully requested to contact the Applicants' representative at the below listed number.

Respectfully submitted,

M. Laub, et al.

Applicants

By:

  
Michael J. Aronoff

Registration No. 37,770

Attorney for Applicants

Phone: (302) 633-2770

Facsimile: (302) 633-2776